

# NICE UT-C 系列 Series

一体化 COB LED 智能会议显示屏

All-in-One COB LED Smart Conference Display

55" 80" 108" 135" 162"




# 多种尺寸选项，大屏幕会议尽在掌控

## Multiple Sizes, One Powerful Meeting Solution



多种尺寸  
Multiple sizes



标准屏幕比例  
Standard Aspect Ratio




遥控操作  
Remote Control



无线投屏  
Screen Mirroring



视频会议  
Video Conference



双系统配置  
Dual System

162"  
1.87mm-cob  
0.9mm-cob

135"  
1.56mm-cob  
0.78mm-cob

108"  
1.56mm-cob  
0.78mm-cob

80"  
1.56mm-cob  
0.78mm-cob

55"  
1.56mm-cob  
0.78mm-cob

# 影院级视觉体验，绿色会议解决方案

## Experience Cinema-Level Clarity, The Eco-Friendly Meeting Solution

### All-in-One Display with Flip Chip COB Technology

This all-in-one display features advanced flip chip COB technology, delivering a wide colour gamut and high contrast ratio for a truly vivid and brilliant visual experience. Every viewing captures authentic details with stunning clarity.

Energy-efficient, environmentally friendly, and designed for visual comfort — ushering in a new era of paperless meetings.




### 搭载翻转芯片COB技术的一体化显示屏

翻转芯片COB技术，提供宽广的色彩范围和高对比度，以实现真正生动和明亮的视觉体验。

每一次体验都还原了每一个真实的细节。节能、环保，且对眼睛舒适，引领无纸化会议新时代。

# 双操作系统 Dual Operating Systems



可切换的双系统 Switchable Dual System

与Android和WIN 10集成，可根据需要灵活切换

Seamless integration with Android and Windows 10 for flexible switching

# 高保真立体声环绕音效 High Fidelity Stereo Surround Sound

声音沉浸式立体环绕，电影级音效

Immersive stereo surround sound, all-round cinema-grade sound effects

外部摄像头、麦克风和其他设备可以被集成连接


External cameras, microphones and other devices can be connected



音频  
Audio



扬声器  
Speaker



摄像头  
Camera



红外线感应  
Infrared sensor



# 多设备和系统的投影 Projection of Multiple Devices and Systems

支持PC、手机、Pad多种终端，以及Windows、iOS和Android不同平台，快速无线投屏，最多可支持4个分屏独立屏幕共享。

Support PC, cell phone, Pad multiple terminals, as well as Windows, iOS and Android different platforms, fast wireless screen casting, up to 4 split screen independent screen sharing.



# 互动式触控 Interactive Touch


- 20点多点触控屏幕  
20-Point Multi-Touch Screen
- 1mm高精度定位  
1mm high-precision positioning
- 快速响应，延迟仅为9ms  
Rapid response with a latency of just 9ms
- 流畅书写  
Fluid Writing Experience



20-Point multitouch  
Screen



1mm high-precision  
positioning



Fast response  
9ms delay



# 四种模式适用于各种环境 Four Modes for Various Environments



## 默认模式

适用于多数场景

## Default mode

Ideal for most scenes



## 柔和模式

适用于PPT、DOC文档展示

## Soft mode

Ideal for PPT, DOC display



## 专属会议模式

打造身临其境的远程会议体验

## Meeting mode

Ideal for teleconferencing scenes



## 影院模式

专为影视播放而优化

## Cinema mode

Ideal for video film broadcast

# 支持安装选择 Free Installation Option



壁挂式安装  
Wall Mounting



落地移动支架  
Mobile Stand

# 为会议选择合适的大小 Choose a suitable size for conference

大、中、小房间，演讲厅，培训室

Large, medium and small rooms ,lecture halls, training rooms



**108inch**

**20-40people**

**20-50sqm**



**135inch**

**30-80people**

**30-60sqm**



**162inch**

**6-100people**

**60-100sqm**

**出席人数**

**推荐使用空间**


# 规格书 Specification

COB 会议一体机 2K 显示分辨率 COB All-in-one conference machine with 2K display resolution			
产品型号 (寸) Product model (inch)	108 寸 inch	135 寸 inch	162 寸 inch
像素间距(mm) Pixel pitch (mm)	P1.25	P1.56	P1.875
屏幕尺寸(mm) Screen size (mm)	2400*1350	3000*1687.5	3600*2025
分辨率 Resolution	1920*1080	1920*1080	1920*1080
亮度 brightness	100-600nit (可调 Adjustable)		
可视角度 Viewing angle	160 °		
对比度 Contrast	10000:1 (无照明状态 No lighting)		
输入电压 Input voltage	AC 100~240V 50/60Hz		
操作系统 operating system	Android /Windows 10 (可选择 Optional)		
界面 interface	多个扩展端口, 如USB端口、HDMI、音频等。 Multiple expansion ports, such as USB ports, HDMI, audio, etc.		

# 规格书 Specification

COB 会议一体机 4K 显示分辨率 COB All-in-one conference machine with 4K display resolution			
产品型号 (寸) Product model (inch)	108 寸 inch	135 寸 inch	162 寸 inch
像素间距(mm) Pixel pitch (mm)	P0.625	P0.78	P0.9375
屏幕尺寸(mm) Screen size (mm)	2400*1350	3000*1687.5	3600*2025
分辨率 Resolution	3840*2160	3840*2160	3840*2160
亮度 brightness	100-600nit (可调 Adjustable)		
可视角度 Viewing angle	160 °		
对比度 Contrast	10000:1 (无照明状态 No lighting)		
输入电压 Input voltage	AC 100~240V 50/60Hz		
操作系统 operating system	Android /Windows 10 (可选择 Optional)		
界面 interface	多个扩展端口, 如USB端口、HDMI、音频等。 Multiple expansion ports, such as USB ports, HDMI, audio, etc.		

# 应用场景 Application Scenarios



## 智能会议

支持手机、平板和PC的直接投影。专用投影仪发送器，确保数据安全。具备数字白板功能，支持多人协作会议。

### Wisdom ConferenceDirect

Projection to mobile devices, tablets, and PCs is supported. A dedicated projector transmitter ensures data security. Equipped with a digital whiteboard function, it supports multi-user collaborative meetings.



## 家庭影院

超高性能产品，定义无损音频。视频传输技术，超五星影院级视听享受，可选3D功能。

### Home Theatre

A product of superior performance, defining lossless audio. With video transmission technology, it delivers an audio-visual experience beyond 5-star cinema quality, with an optional 3D function.



## 音乐餐厅/酒吧/KTV

低亮度和高灰度，即使在暗处也能展现出每个细节的精准表现。环境、支持人机交互、屏幕投影、子弹时间字幕各种功能。

### Music Restaurant/Bar/KTV

Featuring low brightness and high grayscale, it delivers precise detail even in dark environments. It supports a wide range of functions including ambient mode, human-computer interaction, screen mirroring, bullet time, and subtitles.

# THANK YOU

---



**Official Distributer**  
**Multitrade Asiapac Sdn Bhd**

**Phone :**

**KL/Selangor: 012-2053198(Ng)**  
**012-3781971(Chan)**

**Penang: 012-8220097(Desmond)**

**Johor: 016-7551470(Ray)**

**Email:**

**sales@niceleds.com**

**Website:**

**www.niceleds.com**